

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1-13 (canceled).

1 Claim 14 (previously presented): A system for charging, in
2 a packet based telecommunication network, the packet load
3 per connection, the system comprising:

4 a measuring device for measuring a time period during
5 which a predefined number (N) of packets that belong to a
6 common packet connection are received or transmitted during
7 an entire session and through the connection so as to
8 define a measured time period (t), wherein the predefined
9 number is less than a total number of packets carried over
10 the connection during the entire session; and

11 a billing system for formulating a charge for use of
12 the connection in response to the measured time period (t).

1 Claim 15 (currently amended): The system recited in
2 claim ~~21~~ 14 further comprising a calculation device,
3 responsive to said measuring device, for calculating a
4 ratio reflective of the number (N) of packets per said
5 time period (t) so as to yield a calculation result (r) and
6 supplying the calculation result (r) to the billing system.

1 Claim 16 (previously presented): The system recited in
2 claim 15 wherein the telecommunication network carries
3 system packets (RM, RESV) which comprise an indication (r1)
4 of capacity or priority of the connection and as requested
5 by a user, the system further comprising a first detection
6 device, responsive to the system packets, for reading out
7 the indication (r1) from the system packets and
8 transferring the indication (r1) to the billing system.

1 Claim 17 (previously presented): The system recited in
2 claim 15 wherein the telecommunication system carries
3 system packets (RM, RESV) which comprise an indication (r2)
4 of capacity or priority of the connection and as assigned
5 by the telecommunication system, the system further
6 comprising a second detection device, responsive to the
7 system packets, for reading out the indication (r2) from
8 the system packets and transferring the indication (r2) to
9 the billing system.

1 Claim 18 (previously presented): The system recited in
2 claim 15 further comprising an aggregation device for
3 aggregating the calculation result so as to form an
4 aggregated result and passing the aggregated result to the
5 billing system.

1 Claim 19 (previously presented): The system recited in
2 claim 16 further comprising an aggregation device for
3 aggregating said capacity or priority indications provided
4 by the first detection device so as to form aggregated

5 indications and passing the aggregated indications to the
6 billing system.

1 Claim 20 (previously presented): The system recited in
2 claim 17 further comprising an aggregation device for
3 aggregating said capacity or priority indications provided
4 by the second detection device so as to form aggregated
5 indications and passing the aggregated indications to the
6 billing system.

1 Claim 21 (previously presented): The system in claim 14
2 wherein the packet network is an asynchronous transfer mode
3 (ATM) network and the packets are ATM cells.

1 Claim 22 (previously presented): The system recited in
2 claim 21 further comprising a calculation device,
3 responsive to said measuring device, for calculating a
4 ratio reflective of the number (N) of ATM cells per said
5 time period (t) so as to yield a calculation result (r) and
6 supplying the calculation result (r) to the billing system.

1 Claim 23 (previously presented): The system recited in
2 claim 22 wherein the telecommunication network carries
3 system ATM cells (RM, RESV) which comprise an indication
4 (r1) of capacity or priority of the connection and as
5 requested by a user, the system further comprising a first
6 detection device, responsive to the system cells, for
7 reading out the indication (r1) from the system cells and
8 transferring the indication (r1) to the billing system.

1 Claim 24 (previously presented): The system recited in
2 claim 22 wherein the telecommunication system carries
3 system cells (RM, RESV) which comprise an indication (r2)
4 of capacity or priority of the connection and as assigned
5 by the telecommunication system, the system further
6 comprising a second detection device, responsive to the
7 system packets, for reading out the indication (r2) from
8 the system packets and transferring the indication (r2) to
9 the billing system.

1 Claim 25 (previously presented): The system recited in
2 claim 22 further comprising an aggregation device for
3 aggregating the calculation result so as to form an
4 aggregated result and passing the aggregated result to the
5 billing system.

1 Claim 26 (previously presented): The system recited in
2 claim 23 further comprising an aggregation device for
3 aggregating said capacity or priority indications provided
4 by the first detection device so as to form aggregated
5 indications and passing the aggregated indications to the
6 billing system.

1 Claim 27 (previously presented): The system recited in
2 claim 24 further comprising an aggregation device for
3 aggregating said capacity or priority indications provided
4 by the second detection device so as to form aggregated
5 indications and passing the aggregated indications to the
6 billing system.